

Colon Prep: MiraLAX 2 Day Prep

Dr. Chua Dr. Cuschieri Dr. Ghorai Dr. Hawkins Dr. Loura Dr. Mu Dr. Slosberg Dr. Wakelin

Calendar Dates

General instructions

To view MiraLAX Extra Dose prep video:
<https://www.wwmedgroup.com/pre-procedure-instructions/>

5 BUSINESS DAYS PRIOR: Last chance to cancel appointment or you will be charged a **LATE CANCELLATION FEE** of \$250.

Check with insurance in advance to see if you need a referral or pre-approval for your procedure.

Please leave jewelry, money, and other valuables at home.

If you have an ostomy, we recommend bringing extra ostomy supplies with you.

If you have an electronic stimulator, bring your wand/device to turn off your stimulator.

Secure a **driver** for the procedure day, as it is unsafe to drive for 12 hours after the procedure.

SUPPLIES:

- MiraLAX (OTC), 119gm (7 dose) bottle, buy **FOUR (4) bottles**
- Dulcolax Laxative (Bisacodyl) 5 mg, 4 tablets

2 DAYS PRIOR:

Day 1 Preparation Instructions

Entire Day: Clear liquid diet only (no solid foods!): clear fruit juice without pulp such as apple juice, white grape juice, bone broth, regular Gatorade, popsicles, Jell-O, coffee or tea without cream. No milk, red, blue, or purple colors.

12 PM: Mix 1st entire 119gm (7 dose) bottle of MiraLax with entire bottle of Gatorade. Drink one 8oz glass every 20 minutes as tolerated. Finish all 4 glasses

6 PM: Mix 2nd entire 119gm (7 dose) bottle of MiraLax with entire bottle of Gatorade. Drink one 8oz glass every 20 minutes as tolerated. Finish all 4 glasses

If you have severe constipation, call the office for advice (425) 2593122.

1 DAY PRIOR:

Preparation Day Instructions

Clear liquid diet only (no solid foods!) for Entire Day: clear fruit juice without pulp such as apple juice, white grape juice, broth, Gatorade (No Gatorade Frost), popsicles, small amounts of coffee or tea without cream. No milk, red, blue, or purple colors.

If you take diabetic medication(s): follow special instructions.

4 PM: Take 4 tablets of Dulcolax (Bisacodyl) Laxative 5 mg (OTC)

6 PM: • Mix & shake well 1 bottle of 238 gram MiraLAX (14 dose) with 64 oz Gatorade. • Drink one 8 oz glass every 15- 30 minutes as tolerated until completion. What to expect:

- It may take several hours before you have lots of diarrhea.
- If you have nausea or vomiting, slow down the pace of drinking.
- **NO ALCOHOL**

PROCEDURE DATE:

Day of procedure Instructions

Early morning: take your usual prescribed medication except for blood thinners, insulin or oral diabetic medication, unless told otherwise by your doctor.

OK to continue a clear liquid diet.

SIX HOURS PRIOR TO YOUR CHECK IN TIME:

From the Mylicon box, you will fill the 0.6 ml syringe five times adding each to the remaining MiraLax/Gatorade mix. Mix 4th entire 119gm (7 dose) bottle of MiraLax with entire 28oz or 32oz bottle of Gatorade. Drink one 8oz glass every 20 minutes as tolerated. Finish 4 glasses until it is gone.

DO NOT stop the prep even if you think your stool is clear, as fecal matter often comes out intermittently. **A good prep should result in CLEAR yellowish watery stool (not cloudy) that looks like clear urine.**

FOUR HOURS PRIOR TO YOUR CHECK IN TIME ABSOLUTELY NOTHING BY MOUTH (e.g. gum, hard candy, chewing tobacco, water, etc.).

AGAIN, be sure to bring:

- Medication list
- A driver
- Photo ID/Insurance card

<ul style="list-style-type: none"> • 28oz or 32oz Bottle of Gatorade (yellow or original only/no other colors), buy FOUR bottles • Infant Mylicon Gas Relief Drops 15 ML (OTC) 			<ul style="list-style-type: none"> • Eyeglasses/Hearing aids <p>You CANNOT drink alcohol or drive for 12 hours after the test.</p>
--	--	--	--

CPT Codes: Colonoscopy 45378-45385; **ICD-10 codes:** screening Z12.11; Hx Polyps Z86.010; Fx Polyps Z83.71; Fx Colon CA Z80.00; Other: _____
 NEWLY REVISED 11/14/2023

LOW FIBER DIET

General Rule: DO NOT eat anything with any of the following ingredients: nuts, seeds, raw fruits with seeds, raw vegetables, corn, beans (example: kidney, pinto, lima), whole grains, or popcorn.

BELOW ARE THE ONLY ALLOWED FOODS

BREADS ETC:

- White breads, rolls, biscuits
- Waffles, French toast, pancakes
- White rice, white pasta, peeled cooked potatoes
- Saltines or white crackers without seeds
- Hot cereal: cream of rice, cream of wheat
- Cold cereal: Rice Krispies, Corn Flakes, Special K

VEGETABLES AND FRUITS:

- Cooked and canned vegetables –carrots, green beans, spinach
- Applesauce
- Apple or white grape juice
- Bananas
- Cantaloupe, honeydew melon

MILK/DAIRY:

- Milk: plain or flavored, coconut, almond, soy
- Yogurt, custard and ice cream
- Cheese and cottage cheese

MEAT/PROTEIN:

- Well cooked, lean meats, fish
- Eggs
- Creamy peanut/almond butter
- Tofu

FATS, SWEETS, CONDIMENTS, BEVERAGES:

- Margarine, butter, cooking oils, mayonnaise, salad dressing
- Plain gravies
- Sugar, clear jelly, honey and syrup
- Soups made with allowed vegetables, broth
- Coffee, tea, carbonated beverages
- Plain cake
- Gelatin, plain pudding, popsicles
- Hard candy, pretzels
- Plain chocolate